Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A system for accessing remote devices on a communications network using out-of-band access, comprising:
 - a first server operable to,
 - (1) receive a request to communicate with one or more of said modems remote network elements;
 - (2) authenticate a user;
 - (3) facilitate a session with a second server for establishing connection with an external network eomponent element;
 - (4) establish secure pathway over a communications network; and
 - (5) transmit data for monitoring system functions; and
- a modem bank including a plurality of modems eoupled to in communication with said first and second servers and operable to authenticate a request to access <u>remote</u> network elements and to communicate operational status of a plurality of network elements.
- 2. (Original) The communications system of claim 1, wherein said second server is further operable to select a specific modem.

- 3. (Original) The communications system of claim 1, wherein said first server is further operable to log invalid modem-login attempts.
- 4. (Original) The communications system of claim 1, wherein said first server is further operable to allow specific access to privileged users for accessing network elements.
- 5. (Original) The communications system of claim 1, wherein said second server is further operable to communicate with a centralized modern bank.
- 6. (Currently Amended) A method for securely retrieving a status of one or more remote devices, including a modem, the method comprising:

requesting, from a first network device, out-of-band access to a second network element via one of a plurality of modems located in a modem bank configured to communicate with a remote modem;

communicating, from the first network device via the one of a plurality of modems, with

[[a]] the remote modem coupled to said second network element; and

authenticating a request to access said the remote modem.; and

- 7. (Cancelled)
- 8. (Original) The method of claim 7, wherein authenticating a request includes validating a number dialed to determine if a request from said number is authorized to connect with said remote modem.
- 9. (Currently Amended) The method of claim 8, wherein authenticating a request further includes processing security credentials to obtain access to said second network element.

10. (Original) The method of claim 7, wherein authenticating a request further includes one or more selections from the following:

providing a trusted communications pathway between a source element and a destination element using selective call acceptance (SCA);

encrypting communicated data to secure network communications;
authenticating said source and destination elements; and

utilizing automatic number identification (ANI) to authenticate a calling request.

11. (Currently Amended) One or more computer-readable storage media having computer-useable instructions embodied thereon for performing a method of accessing devices on a communications network, the method comprising, the instructions, when executed on a computing device, cause the computing device to:

receiving receive a first request via an out-of-band process to establish a communications pathway with a network device;

receiving receive a security identifier to authenticate said first request;

identifying identify a dial-up number for accessing a remote modem;

eapturing capture information associated with said first request to a log file;

directing direct a server to identify one of a plurality of modems <u>located in a modem bank</u> that can provide feedback related to said network device;

authenticating authenticate a second request, said request being a request to access said remote modem; and

authenticating authenticate a third request, said third request being a request to access said network element.

- 12. (Original) The media of claim 11, wherein receiving a first request further comprises establishing a communications pathway by exchanging packets of information using one or more network protocols.
- 13. (Original) The media of claim 12, wherein receiving a first request further comprises issuing a command to the network device to authenticate access to the network device.
- 14. (Original) The media of claim 11, wherein receiving a security identifier includes receiving one or more security-credential components.
- 15. (Original) The media of claim 11, wherein requesting a dial-up number includes:

issuing a request from a user;


receiving a telephone number for dialing; and

validating said telephone number against a predetermined dialing list.

- 16. (Original) The media of claim 11, wherein capturing information includes capturing session information.
- 17. (Original) The media of claim 16, wherein said session information includes data related to one or more of the following events:

failed attempts to access a network resource;

successful attempts to access one or more elements designated as sensitive or critical components;



sending a request to establish a communications link with a remote modem;

selecting a modem from a modem pool;

receiving a response from said server to establish a link with said pooled modem; and

dialing a telephone number to said pooled modem to establishing a link with said remote

modem.

20. (Original) The media of claim 11, wherein authenticating a second request to access said

remote modem includes:

receiving login identification for accessing said remote modem;

verifying said login identification against a list of authorized users; and

notifying said user with a status response.

21. (Original) The media of claim 20, wherein said log-in identification is a username and

password.

22. (Original) The media of claim 20, wherein said status response is an approval or denial to

access said remote modem.

23. (Original) A system for retrieving status information from a remote device on a

communications network, the system comprising:

a server programmed to receive one or more requests from a user to access said remote

device and to authenticate that said one or more requests are submitted by an authorized user;

and

a modem bank communicatively coupled to said server and to a remote modem,

8

wherein said remote modem is configured to accept communications only from a predetermined set of addresses or phone numbers, and

wherein said remote modem is coupled to said remote device.

24. (Original) The system of claim 23, wherein said remote device cannot be accessed without authenticating said user.